

Appl. No. 10/736,334  
Response dated May 12, 2006  
Reply to Office Action of November 15, 2005

**Amendment to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A photothermographic material comprising a support having disposed thereon an image-forming layer that contains at least a non-photosensitive organic silver salt, a photosensitive silver halide, a reducing agent for an organic silver salt and a binder, and the material further comprising a compound represented by the following formula (I):



wherein A represents an atomic group having at least two mercapto groups as the substituent; W represents a divalent linking group; n represents 0 or 1; and P represents a pyrazolidone group.

2. (Original) The photothermographic material according to claim 1, wherein the atomic group is a group selected from the group consisting of an alkyl group, an aryl group and a heterocyclic group.

3. (Original) The photothermographic material according to claim 1, wherein the atomic group is a heterocyclic group.

4. (Original) The photothermographic material according to claim 1, wherein the atomic group is an aromatic nitrogen-containing heterocyclic group.


Appl. No. 10/736,334

Response dated May 12, 2006

Reply to Office Action of November 15, 2005

5. (Original) The photothermographic material according to claim 2, wherein the atomic group is an aromatic nitrogen-containing heterocyclic group.

6. (Original) The photothermographic material according to claim 1, wherein the pyrazolidone group is a group obtained by removing a hydrogen atom from a compound represented by the following formula (P-2):



Formula (P-2)

wherein Y represents a hydrogen atom, an alkyl group, an aryl group or a heterocyclic group; X represents a hydrogen atom, an alkyl group, an acyl group, a carbamoyl group, an alkoxycarbonyl group, an alkylsulfonyl group or an arylsulfonyl group; R<sub>10</sub>, R<sub>11</sub>, R<sub>12</sub> and R<sub>13</sub> each represent a hydrogen atom or a substituent; and wherein at least one of Y, X, R<sub>10</sub>, R<sub>11</sub>, R<sub>12</sub> and R<sub>13</sub> is a hydrogen atom.


7. (Original) The photothermographic material according to claim 2, wherein the pyrazolidone group is a group obtained by removing a hydrogen atom from a compound represented by the following formula (P-2):

Appl. No. 10/736,334

Response dated May 12, 2006

Reply to Office Action of November 15, 2005

Formula (P-2)



wherein Y represents a hydrogen atom, an alkyl group, an aryl group or a heterocyclic group; X represents a hydrogen atom, an alkyl group, an acyl group, a carbamoyl group, an alkoxy carbonyl group, an alkylsulfonyl group or an arylsulfonyl group; R<sub>10</sub>, R<sub>11</sub>, R<sub>12</sub> and R<sub>13</sub> each represent a hydrogen atom or a substituent; and wherein at least one of Y, X, R<sub>10</sub>, R<sub>11</sub>, R<sub>12</sub> and R<sub>13</sub> is a hydrogen atom.

8. (Original) The photothermographic material according to claim 1, wherein the pyrazolidone group is a 1-phenyl-3-pyrazolidone group.

9. (Original) The photothermographic material according to claim 2, wherein the pyrazolidone group is a 1-phenyl-3-pyrazolidone group.

10. (Original) The photothermographic material according to claim 1, wherein the photosensitive silver halide has a silver iodide content ranging from 40% by mol to 100% by mol.

Appl. No. 10/736,334

Response dated May 12, 2006

Reply to Office Action of November 15, 2005

11. (Original) The photothermographic material according to claim 2, wherein the photosensitive silver halide has a silver iodide content ranging from 40% by mol to 100% by mol.

12. (Original) The photothermographic material according to claim 1, wherein the compound represented by formula (I) is added in an amount ranging from  $1 \times 10^{-6}$  mol to 1 mol, per mol of the photosensitive silver halide.

13. (Original) The photothermographic material according to claim 2, wherein the compound represented by formula (I) is added in an amount ranging from  $1 \times 10^{-6}$  mol to 1 mol, per mol of the photosensitive silver halide.

14. (Canceled).

15. (Currently amended) The photothermographic material according to claim ~~14~~ 1, wherein the reducing agent is a hindered phenol-type reducing agent or a bisphenol-type reducing agent.

16. (Canceled).

17. (Currently amended) The photothermographic material according to claim ~~16~~ 2, wherein the reducing agent is a hindered phenol-type reducing agent or a bisphenol-type reducing agent.

18. (Original) The photothermographic material according to claim 1, further comprising a hydrogen bond-forming compound represented by


Appl. No. 10/736,334

Response dated May 12, 2006

Reply to Office Action of November 15, 2005

the following formula (D):


Formula (D)



wherein  $\text{R}^{21}$ ,  $\text{R}^{22}$ , and  $\text{R}^{23}$  each independently represent an optionally substituted alkyl, aryl, alkoxy, aryloxy, amino, or heterocyclic group.

19. (Original) The photothermographic material according to claim 2, further comprising a hydrogen bond-forming compound represented by the following formula (D):

Formula (D)



wherein  $\text{R}^{21}$ ,  $\text{R}^{22}$ , and  $\text{R}^{23}$  each independently represent an optionally substituted alkyl, aryl, alkoxy, aryloxy, amino, or heterocyclic group.